SP2702 - Physical Activity, Health and Wellbeing in the Lifecourse



[1]

Bouchard, C. et al. 2012. Physical activity and health. Human Kinetics.

[2]

Bowling, A. 2008. Enhancing later life: How older people perceive active ageing? Aging & Mental Health. 12, 3 (May 2008), 293–301. DOI:https://doi.org/10.1080/13607860802120979.

[3]

Coakley, J.J. and Dunning, E. 2000. Handbook of sports studies. SAGE.

[4]

Crombie, I.K. 2004. Why older people do not participate in leisure time physical activity: a survey of activity levels, beliefs and deterrents. Age and Ageing. 33, 3 (May 2004), 287–292. DOI:https://doi.org/10.1093/ageing/afh089.

[5]

Hardman, A.E. and Stensel, D.J. 2009. Physical activity and health: the evidence explained. Routledge.

[6]

Jackson, P.A. et al. 2016. Promoting brain health through exercise and diet in older adults:

a physiological perspective. The Journal of Physiology. 594, 16 (Aug. 2016), 4485–4498. DOI:https://doi.org/10.1113/JP271270.

[7]

Jaycox, L.H. et al. 1994. Prevention of depressive symptoms in school children. Behaviour Research and Therapy. 32, 8 (Nov. 1994), 801–816. DOI:https://doi.org/10.1016/0005-7967(94)90160-0.

[8]

Jones, K. and Creedy, D. 2012. Health and human behaviour. Oxford University Press.

[9]

Kay, T. 2009. Fathering through sport and leisure. Routledge.

[10]

Kennedy, E. and Markula, P. eds. 2011. Women and exercise: the body, health and consumerism. Routledge.

[11]

Malhotra, A. et al. 2017. Saturated fat does not clog the arteries: coronary heart disease is a chronic inflammatory condition, the risk of which can be effectively reduced from healthy lifestyle interventions. British Journal of Sports Medicine. 51, 15 (Aug. 2017), 1111–1112. DOI:https://doi.org/10.1136/bjsports-2016-097285.

[12]

Martin, W. 2012. Visualizing risk: Health, gender and the ageing body. Critical Social Policy. 32, 1 (Feb. 2012), 51–68. DOI:https://doi.org/10.1177/0261018311425980.

[13]

Michie, S. and West, R. 2013. Behaviour change theory and evidence: a presentation to

Government. Health Psychology Review. 7, 1 (Mar. 2013), 1–22. DOI:https://doi.org/10.1080/17437199.2011.649445.

[14]

Mountjoy, M. et al. 2011. International Olympic Committee consensus statement on the health and fitness of young people through physical activity and sport. British Journal of Sports Medicine. 45, 11 (Sep. 2011), 839–848. DOI:https://doi.org/10.1136/bjsports-2011-090228.

[15]

Mountjoy, M. et al. 2014. The IOC consensus statement: beyond the Female Athlete Triad—Relative Energy Deficiency in Sport (RED-S). British Journal of Sports Medicine. 48, 7 (Apr. 2014), 491–497. DOI:https://doi.org/10.1136/bjsports-2014-093502.

[16]

Shultz, S.P. et al. 2009. Paediatric obesity, physical activity and the musculoskeletal system. Obesity Reviews. 10, 5 (Sep. 2009), 576–582. DOI:https://doi.org/10.1111/j.1467-789X.2009.00587.x.

[17]

Tiedemann, A. et al. 2011. Exercise and Sports Science Australia Position Statement on exercise and falls prevention in older people. Journal of Science and Medicine in Sport. 14, 6 (Nov. 2011), 489–495. DOI:https://doi.org/10.1016/j.jsams.2011.04.001.

[18]

World Health Organization (WHO) A Lifecourse Approach to Health.