PY5619 - Cognitive Rehabilitation and Plasticity[]

Dr Annie Chan



[1]

An, K.Y. and Monette, M.C.E. 2018. Cognitive profiles of older adults with a prior traumatic brain injury versus healthy controls: A meta-analysis. Brain Injury. 32, 7 (Jun. 2018), 832–842. DOI:https://doi.org/10.1080/02699052.2018.1463104.

[2]

Basso, J.C. and Suzuki, W. 2017. The Effects of Acute Exercise on Mood, Cognition, Neurophysiology, and Neurochemical Pathways: A Review. Brain plasticity. 2, 2 (2017), 127–152. DOI:https://doi.org/doi: 10.3233/BPL-160040.

[3]

C Allman 2016. Ipsilesional anodal tDCS enhances the functional benefits of rehabilitation in patients after stroke. Science translational medicine. 8, 330 (2016), 330re1-330re1. DOI:https://doi.org/doi: 10.1126/scitranslmed.aad5651.

[4]

Daniel D. Dilks 2009. Reorganization of Visual Processing in Macular Degeneration Is Not Specific to the "Preferred Retinal Locus". Journal of Neuroscience. 29, 9 (2009), 2768–2773.

[5]

DE Linden 2014. Neurofeedback and networks of depression. Dialogues in clinical neuroscience. 16, 1 (2014), 103–112.

[6]

De Luca, R. et al. 2018. Cognitive rehabilitation after severe acquired brain injury: current evidence and future directions. Neuropsychological Rehabilitation. 28, 6 (Aug. 2018), 879–898. DOI:https://doi.org/10.1080/09602011.2016.1211937.

[7]

Diedrichsen, J. and Kornysheva, K. 2015. Motor skill learning between selection and execution. Trends in Cognitive Sciences. 19, 4 (Apr. 2015), 227–233. DOI:https://doi.org/10.1016/j.tics.2015.02.003.

[8]

Ellmers, T.J. et al. 2018. Recalibrating disparities in perceived and actual balance abilities in older adults: a mixed-methods evaluation of a novel exergaming intervention. Journal of NeuroEngineering and Rehabilitation. 15, 1 (Dec. 2018). DOI:https://doi.org/10.1186/s12984-018-0369-8.

[9]

Ettinger, U. and Kumari, V. 2015. Effects of sleep deprivation on inhibitory biomarkers of schizophrenia: implications for drug development. The Lancet Psychiatry. 2, 11 (Nov. 2015), 1028–1035. DOI:https://doi.org/10.1016/S2215-0366(15)00313-2.

[10]

Flor, H. et al. 2006. Phantom limb pain: a case of maladaptive CNS plasticity? Nature Reviews Neuroscience. 7, 11 (Nov. 2006), 873–881. DOI:https://doi.org/10.1038/nrn1991.

[11]

Kandel, E.R. 2013. Principles of neural science, 5th ed. McGraw-Hill Medical.

[12]

Kim Delbaere, Jacqueline C T Close, Henry Brodaty, Perminder Sachdev and Stephen R Lord 2010. Determinants of disparities between perceived and physiological risk of falling among elderly people: cohort study. BMJ: British Medical Journal. 341, 7770 (2010).

[13]

Liew, S.-L. et al. 2014. Non-invasive brain stimulation in neurorehabilitation: local and distant effects for motor recovery. Frontiers in Human Neuroscience. 8, (Jun. 2014). DOI:https://doi.org/10.3389/fnhum.2014.00378.

[14]

Lox, C. et al. 2017. The psychology of exercise: integrating theory and practice. Routledge.

[15]

Magalhaes, A.A. et al. 2018. Does Meditation Alter Brain Responses to Negative Stimuli? A Systematic Review. Frontiers in Human Neuroscience. 12, (Nov. 2018). DOI:https://doi.org/10.3389/fnhum.2018.00448.

[16]

Mason, L. et al. 2016. Functional connectivity predictors and mechanisms of cognitive behavioural therapies: A systematic review with recommendations. Australian & New Zealand Journal of Psychiatry. 50, 4 (Apr. 2016), 311–321. DOI:https://doi.org/10.1177/0004867415624970.

[17]

Morris, T. et al. 2007. Sport and exercise psychology: international perspectives. Sport and exercise psychology: international perspectives. Fitness Information Technology. 83–93.

[18]

Parton, A. et al. 2005. Neuropharmacological modulation of cognitive deficits after brain damage. Current Opinion in Neurology. 18, 6 (Dec. 2005), 675–680. DOI:https://doi.org/10.1097/01.wco.0000189872.54245.13.

[19]

Ramachandran, V.S. and Blakeslee, S. 1999. Phantoms in the brain: human nature and the architecture of the mind. Fourth Estate.

[20]

Ramachandran, V.S. and Blakeslee, S. 1998. Phantoms in the brain: probing the mysteries of the human mind. Phantoms in the brain: probing the mysteries of the human mind. William Morrow. 39–62.

[21]

Ramsay, I.S. and MacDonald, A.W. 2015. Brain Correlates of Cognitive Remediation in Schizophrenia: Activation Likelihood Analysis Shows Preliminary Evidence of Neural Target Engagement. Schizophrenia Bulletin. 41, 6 (Nov. 2015), 1276–1284. DOI:https://doi.org/10.1093/schbul/sbv025.

[22]

Stojanoski, B. et al. 2018. Targeted training: Converging evidence against the transferable benefits of online brain training on cognitive function. Neuropsychologia. 117, (Aug. 2018), 541–550. DOI:https://doi.org/10.1016/j.neuropsychologia.2018.07.013.

[23]

Tempesta, D. et al. 2018. Sleep and emotional processing. Sleep Medicine Reviews. 40, (Aug. 2018), 183–195. DOI:https://doi.org/10.1016/j.smrv.2017.12.005.

[24]

Thomas, C. and Baker, C.I. 2013. Teaching an adult brain new tricks: A critical review of evidence for training-dependent structural plasticity in humans. NeuroImage. 73, (Jun. 2013), 225–236. DOI:https://doi.org/10.1016/j.neuroimage.2012.03.069.

[25]

Woollacott, M. and Shumway-Cook, A. 2002. Attention and the control of posture and gait: a review of an emerging area of research. Gait & Posture. 16, 1 (Aug. 2002), 1–14. DOI:https://doi.org/10.1016/S0966-6362(01)00156-4.

[26]

Yamada, M. et al. 2013. Multitarget Stepping Program in Combination with a Standardized Multicomponent Exercise Program Can Prevent Falls in Community-Dwelling Older Adults: A Randomized, Controlled Trial. Journal of the American Geriatrics Society. 61, 10 (Oct. 2013), 1669–1675. DOI:https://doi.org/10.1111/jgs.12453.