

PY5619 - Cognitive Rehabilitation and Plasticity

Dr Annie Chan

[View Online](#)



[1]

E. R. Kandel, Principles of neural science, 5th ed, 5th ed. New York: McGraw-Hill Medical, 2013 [Online]. Available:
<http://lib.myilibrary.com/browse/open.asp?id=396874&entityid=https://idp.brunel.ac.uk/entity>

[2]

V. S. Ramachandran and S. Blakeslee, Phantoms in the brain: human nature and the architecture of the mind. London: Fourth Estate, 1999.

[3]

V. S. Ramachandran and S. Blakeslee, 'Phantoms in the brain: probing the mysteries of the human mind', in Phantoms in the brain: probing the mysteries of the human mind, 1st ed., New York: William Morrow, 1998, pp. 39–62 [Online]. Available:
<https://contentstore.cla.co.uk/secure/link?id=ec494f39-3d1e-e911-80cd-005056af4099>

[4]

H. Flor, L. Nikolajsen, and T. Staehelin Jensen, 'Phantom limb pain: a case of maladaptive CNS plasticity?', *Nature Reviews Neuroscience*, vol. 7, no. 11, pp. 873–881, Nov. 2006, doi: 10.1038/nrn1991.

[5]

Daniel D. Dilks, 'Reorganization of Visual Processing in Macular Degeneration Is Not Specific to the "Preferred Retinal Locus"', *Journal of Neuroscience*, vol. 29, no. 9, pp. 2768–2773, 2009 [Online]. Available: <http://www.jneurosci.org/content/29/9/2768>

[6]

A. Parton, E. Coulthard, and M. Husain, 'Neuropharmacological modulation of cognitive deficits after brain damage', *Current Opinion in Neurology*, vol. 18, no. 6, pp. 675–680, Dec. 2005, doi: 10.1097/01.wco.0000189872.54245.13. [Online]. Available: <https://contentstore.cla.co.uk/secure/link?id=b91990bb-db17-e911-80cd-005056af4099>

[7]

K. Y. An and M. C. E. Monette, 'Cognitive profiles of older adults with a prior traumatic brain injury versus healthy controls: A meta-analysis', *Brain Injury*, vol. 32, no. 7, pp. 832–842, Jun. 2018, doi: 10.1080/02699052.2018.1463104. [Online]. Available: <https://contentstore.cla.co.uk/secure/link?id=300a7d02-dc17-e911-80cd-005056af4099>

[8]

R. De Luca, R. S. Calabro, and P. Bramanti, 'Cognitive rehabilitation after severe acquired brain injury: current evidence and future directions', *Neuropsychological Rehabilitation*, vol. 28, no. 6, pp. 879–898, Aug. 2018, doi: 10.1080/09602011.2016.1211937.

[9]

T. Morris, P. Terry, and S. Gordon, 'Sport and exercise psychology: international perspectives', in *Sport and exercise psychology: international perspectives*, Morgantown, W. Va: Fitness Information Technology, 2007, pp. 83–93 [Online]. Available: <https://contentstore.cla.co.uk/secure/link?id=eaed77b0-1814-e911-80cd-005056af4099>

[10]

C. Lox, K. A. Martin Ginis, and S. J. Petruzzello, 'The psychology of exercise: integrating theory and practice', Fourth edition., London, [England]: Routledge, 2017 [Online]. Available: <http://ebookcentral.proquest.com/lib/brunelu/detail.action?docID=4907233>

[11]

J. C. Basso and W. Suzuki, 'The Effects of Acute Exercise on Mood, Cognition, Neurophysiology, and Neurochemical Pathways: A Review', *Brain plasticity*, vol. 2, no. 2, pp. 127–152, 2017, doi: doi: 10.3233/BPL-160040. [Online]. Available: <http://europepmc.org/articles/PMC5928534>

[12]

DE Linden, 'Neurofeedback and networks of depression', *Dialogues in clinical neuroscience*, vol. 16, no. 1, pp. 103–112, 2014 [Online]. Available: <http://europepmc.org/articles/PMC3984886>

[13]

C Allman, 'Ipsilesional anodal tDCS enhances the functional benefits of rehabilitation in patients after stroke', *Science translational medicine*, vol. 8, no. 330, pp. 330re1-330re1, 2016, doi: doi: 10.1126/scitranslmed.aad5651. [Online]. Available: <https://europepmc.org/articles/PMC5388180/>

[14]

S.-L. Liew, E. Santarnechi, E. R. Buch, and L. G. Cohen, 'Non-invasive brain stimulation in neurorehabilitation: local and distant effects for motor recovery', *Frontiers in Human Neuroscience*, vol. 8, Jun. 2014, doi: 10.3389/fnhum.2014.00378.

[15]

L. Mason, E. Peters, and V. Kumari, 'Functional connectivity predictors and mechanisms of cognitive behavioural therapies: A systematic review with recommendations', *Australian & New Zealand Journal of Psychiatry*, vol. 50, no. 4, pp. 311–321, Apr. 2016, doi: 10.1177/0004867415624970.

[16]

I. S. Ramsay and A. W. MacDonald, 'Brain Correlates of Cognitive Remediation in Schizophrenia: Activation Likelihood Analysis Shows Preliminary Evidence of Neural Target Engagement', *Schizophrenia Bulletin*, vol. 41, no. 6, pp. 1276–1284, Nov. 2015, doi: 10.1093/schbul/sbv025.

[17]

A. A. Magalhaes, L. Oliveira, M. G. Pereira, and C. B. Menezes, 'Does Meditation Alter Brain Responses to Negative Stimuli? A Systematic Review', *Frontiers in Human Neuroscience*, vol. 12, Nov. 2018, doi: 10.3389/fnhum.2018.00448.

[18]

J. Diedrichsen and K. Kornysheva, 'Motor skill learning between selection and execution', Trends in Cognitive Sciences, vol. 19, no. 4, pp. 227–233, Apr. 2015, doi: 10.1016/j.tics.2015.02.003.

[19]

C. Thomas and C. I. Baker, 'Teaching an adult brain new tricks: A critical review of evidence for training-dependent structural plasticity in humans', NeuroImage, vol. 73, pp. 225–236, Jun. 2013, doi: 10.1016/j.neuroimage.2012.03.069.

[20]

B. Stojanoski, K. M. Lyons, A. A. A. Pearce, and A. M. Owen, 'Targeted training: Converging evidence against the transferable benefits of online brain training on cognitive function', Neuropsychologia, vol. 117, pp. 541–550, Aug. 2018, doi: 10.1016/j.neuropsychologia.2018.07.013.

[21]

U. Ettinger and V. Kumari, 'Effects of sleep deprivation on inhibitory biomarkers of schizophrenia: implications for drug development', The Lancet Psychiatry, vol. 2, no. 11, pp. 1028–1035, Nov. 2015, doi: 10.1016/S2215-0366(15)00313-2. [Online]. Available: <https://contentstore.cla.co.uk/secure/link?id=0c0df62f-dc17-e911-80cd-005056af4099>

[22]

D. Tempesta, V. Soccia, L. De Gennaro, and M. Ferrara, 'Sleep and emotional processing', Sleep Medicine Reviews, vol. 40, pp. 183–195, Aug. 2018, doi: 10.1016/j.smrv.2017.12.005.

[23]

Kim Delbaere, Jacqueline C T Close, Henry Brodaty, Perminder Sachdev and Stephen R Lord, 'Determinants of disparities between perceived and physiological risk of falling among elderly people: cohort study', BMJ: British Medical Journal, vol. 341, no. 7770, 2010 [Online]. Available: https://www.jstor.org/stable/20766217?pq-origsite=summon&seq=1#metadata_info_tab_contents

[24]

T. J. Ellmers, I. Th. Paraskevopoulos, A. M. Williams, and W. R. Young, 'Recalibrating disparities in perceived and actual balance abilities in older adults: a mixed-methods evaluation of a novel exergaming intervention', *Journal of NeuroEngineering and Rehabilitation*, vol. 15, no. 1, Dec. 2018, doi: 10.1186/s12984-018-0369-8.

[25]

M. Woollacott and A. Shumway-Cook, 'Attention and the control of posture and gait: a review of an emerging area of research', *Gait & Posture*, vol. 16, no. 1, pp. 1-14, Aug. 2002, doi: 10.1016/S0966-6362(01)00156-4.

[26]

M. Yamada, T. Higuchi, S. Nishiguchi, K. Yoshimura, Y. Kajiwara, and T. Aoyama, 'Multitarget Stepping Program in Combination with a Standardized Multicomponent Exercise Program Can Prevent Falls in Community-Dwelling Older Adults: A Randomized, Controlled Trial', *Journal of the American Geriatrics Society*, vol. 61, no. 10, pp. 1669-1675, Oct. 2013, doi: 10.1111/jgs.12453.